

SAFETY DATA SHEET

Issue Date 24-Feb-2016 Revision Date 14-Jul-2016 Version 3

1. IDENTIFICATION

Product identifier

TL-81/TL-91 Hardener **Product Name**

Other means of identification

Product Code 927BC UN/ID no UN3066 **Synonyms** None

Recommended use of the chemical and restrictions on use **Recommended Use Industrial Coatings**

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address BLOME INTERNATIONAL 1450 Hoff Industrial Drive O'Fallon, MO 63366

Emergency telephone number

Company Phone Number 636-379-9119

Emergency Telephone CHEMTREC: 800-424-9300

CHEMTREC: 703-527-3887 CANUTEC: 613-966-6666

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Gases)	Category 4
Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1

Label elements

Emergency Overview

Danger

Hazard statements

Harmful if swallowed Harmful in contact with skin Harmful if inhaled Causes severe skin burns and eye damage May cause an allergic skin reaction



Appearance viscous Physical state liquid Odor Amine

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Immediately call a POISON CENTER or doctor/physician

If skin irritation or rash occurs: Get medical advice/attention

Call a POISON CENTER or doctor/physician if you feel unwell

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Toxic to aquatic life with long lasting effects. Toxic to aquatic life.

Unknown acute toxicity

5% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Name	CAS No	Weight-%
Isophorone diamine *	2855-13-2	15 - 40
Benzyl alcohol *	100-51-6	10 - 30
Diethylenetriamine *	111-40-0	10 - 30
Bisphenol A *	80-05-7	7 - 13

2,4,6-Tri(dimethylaminomethyl)phenol *	90-72-2	3 - 7
Silica, amorphous, precipitated and gel *	112926-00-8	3 - 7

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice In case of accident or unwellness, seek medical advice immediately (show directions for

use or safety data sheet if possible). If symptoms persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician

immediately.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. For minor skin contact, avoid spreading material on unaffected skin. If

skin irritation persists, call a physician.

Inhalation Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration.

Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If

symptoms persist, call a physician.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Drink plenty of water.

Do not induce vomiting without medical advice.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved and take precautions to

protect themselves. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way

valve or other proper respiratory medical device.

Most important symptoms and effects, both acute and delayed

Symptoms Causes skin and eye burns. May result in permanent damage including blindness. May

cause allergic skin reaction. Coughing and/ or wheezing.

Indication of any immediate medical attention and special treatment needed

Note to physicians Keep victim warm and quiet. Effects of exposure (inhalation, ingestion or skin contact) to

substance may be delayed. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical, CO2, alcohol-resistant foam or water spray. Move containers from fire area if you can do it without risk.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. Runoff may pollute waterways.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Revision Date 14-Jul-2016

Personal precautions, protective equipment and emergency procedures

Personal precautions Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate

ventilation, especially in confined areas. Use personal protective equipment as required.

Keep people away from and upwind of spill/leak.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Absorb or cover with dry earth, sand or other non-combustible material and transfer to

containers.

Methods for cleaning up Cover liquid spill with sand, earth or other non-combustible absorbent material. Use

personal protective equipment as required. Dam up. Take up mechanically, placing in

appropriate containers for disposal. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray.

Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children.

Incompatible materials Strong oxidizing agents. Strong acids. Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Diethylenetriamine	TWA: 1 ppm	-	TWA: 1 ppm
111-40-0	S*		TWA: 4 mg/m ³
Silica, amorphous, precipitated and	-	TWA: 20 mppcf	-
gel		: (80)/(% SiO2) mg/m ³ TWA	
112926-00-8			

NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Amine

Pensky-Martens Closed Cup (PMCC)

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state liquid viscous **Appearance**

amber Color **Odor threshold** No information available

Odor

Property Values Remarks • Method

No information available pН No information available Melting point / freezing point Boiling point / boiling range > 120 °C / 248 °F Flash point > 100 °C / 212 °F No information available

Evaporation rate Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available Vapor pressure No information available Vapor density No information available

Relative density

Water solubility partially soluble

Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** No information available **Explosive properties** Not an explosive

Oxidizing properties Not applicable

Other Information

Softening point No information available Molecular weight No information available

VOC Content (%) < 50 g/L

No information available **Density Bulk density** No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Hazardous polymerization does not occur.

Conditions to avoid

Elevated Temperature. Incompatible materials.

Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation May cause irritation.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin contact May cause burns. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons.

Ingestion Can burn mouth, throat, and stomach.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isophorone diamine 2855-13-2	= 1030 mg/kg (Rat)	-	-
Benzyl alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2 g/kg(Rabbit)	= 8.8 mg/L (Rat) 4 h
Diethylenetriamine 111-40-0	= 1080 mg/kg (Rat)	= 672 mg/kg(Rabbit)	= 70 mg/L (Rat)4 h
Bisphenol A 80-05-7	= 3300 mg/kg (Rat)	= 3 mL/kg(Rabbit)	> 0.17 mg/L (Rat)6 h
2,4,6-Tri(dimethylaminomethyl)phen ol 90-72-2	= 1200 mg/kg(Rat)	= 1280 mg/kg(Rat)	-

Information on toxicological effects

Symptoms May cause an allergic skin reaction. Causes skin burns. May cause redness and tearing of

the eyes. May result in permanent damage including blindness. Coughing and/ or

wheezing.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause sensitization in susceptible persons.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

				,
Chemical Name	ACGIH	IARC	NTP	OSHA
Silica, amorphous, precipitated and gel 112926-00-8	-	Group 3	-	-

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT - single exposure Target Organs. Respiratory system. Eyes. Skin.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Target Organ Effects Eyes, Respiratory system, Skin.

Aspiration hazard Based on available data, the classification criteria are not met.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 1,329.00 mg/kg
ATEmix (dermal) 1,506.00 mg/kg
ATEmix (inhalation-gas) 2,800.00 mg/l
ATEmix (inhalation-dust/mist) 6.00 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects

17 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
·			

Isophorone diamine 2855-13-2	37: 72 h Desmodesmus subspicatus mg/L EC50	110: 96 h Leuciscus idus mg/L LC50 semi-static	14.6 - 21.5: 48 h Daphnia magna mg/L EC50 semi-static 42: 24 h Daphnia magna mg/L EC50
Benzyl alcohol 100-51-6	35: 3 h Anabaena variabilis mg/L EC50	460: 96 h Pimephales promelas mg/L LC50 static 10: 96 h Lepomis macrochirus mg/L LC50 static	23: 48 h water flea mg/L EC50
Diethylenetriamine 111-40-0	1164: 72 h Pseudokirchneriella subcapitata mg/L EC50 345.6: 96 h Pseudokirchneriella subcapitata mg/L EC50 592: 96 h Desmodesmus subspicatus mg/L EC50	248: 96 h Poecilia reticulata mg/L LC50 static 430: 96 h Leuciscus idus mg/L LC50 semi-static 1014: 96 h Poecilia reticulata mg/L LC50 semi-static	16: 48 h Daphnia magna mg/L EC50 37: 24 h Daphnia magna mg/L EC50
Bisphenol A 80-05-7	2.5: 96 h Pseudokirchneriella subcapitata mg/L EC50	3.6 - 5.4: 96 h Pimephales promelas mg/L LC50 flow-through 4.0 - 5.5: 96 h Pimephales promelas mg/L LC50 static 4: 96 h Oncorhynchus mykiss mg/L LC50 9.9: 96 h Brachydanio rerio mg/L LC50 static	10.2: 48 h Daphnia magna mg/L EC50 3.9: 48 h Daphnia magna mg/L EC50 9.2 - 11.4: 48 h Daphnia magna mg/L EC50 Static

Persistence and degradability

No information available.

Bioaccumulation

Chemical Name	Partition coefficient
Isophorone diamine 2855-13-2	0.79
Benzyl alcohol 100-51-6	1.1
Diethylenetriamine 111-40-0	-1.3
Bisphenol A 80-05-7	2.2

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number D002

Chemical Name	California Hazardous Waste Status
Diethylenetriamine 111-40-0	Toxic

14. TRANSPORT INFORMATION

<u>DOT</u>

UN/ID no UN3066
Proper shipping name Paint
Hazard Class 8
Packing Group III

Special Provisions B52, IB3, T4, TP1, TP29
Description UN3066, Paint, 8, III

Emergency Response Guide 153

Number

TDG

UN/ID no UN3066
Proper shipping name Paint
Hazard Class 8
Packing Group III

Description UN3066, Paint, 8, III

IATA

UN/ID no UN3066
Proper shipping name Paint
Hazard Class 8
Packing Group III
ERG Code 8L

Special ProvisionsA3, A72, A803, A192DescriptionUN3066, Paint, 8, III

IMDG

Description UN3066, Paint, 8, III

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies
IECSC Complies
KECL Complies
PICCS Complies
AICS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Bisphenol A - 80-05-7	1.0
SARA 311/312 Hazard Categories	·
Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Bisphenol A - 80-05-7	Female Reproductive

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isophorone diamine 2855-13-2	Х	-	-
Benzyl alcohol 100-51-6	-	Х	Х
Diethylenetriamine 111-40-0	Х	Х	Х
Bisphenol A 80-05-7	Х	Х	Х
Silica, amorphous, precipitated and gel 112926-00-8	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 3 Flammability 1 Instability 0 Physical and Chemical Properties
HMIS Health hazards 3* Flammability 1 Physical hazards 0 Personal protection X

Chronic Hazard Star Legend *= Chronic Health Hazard

Issue Date24-Feb-2016Revision Date14-Jul-2016

Revision Note

No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet